# 0t0 Karnasch°

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

Product code: 30

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cutting oil

#### Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Karnasch Professional Tools GmbH
Street:	Theodor-Heuss-Anlage 12
Place:	D-68165 Mannheim
Telephone:	+49 (0) 6203 / 4039 - 0
E-mail:	info@atakarnasch.com
Contact person:	Volker Mayer, Sascha Riedel
Internet:	www.karnasch.tools
Responsible Department:	Volker Mayer, Sascha Riedel:
	Tel: 06203 / 4039 - 0
4. Emergency telephone	Emergency telephone number (24h) + 44 1235 239670 (en)

## 1.4. Emergency telephone

## number:

#### **Further Information**

Reserved for industrial and professional use.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

#### Additional advice on labelling

Das Gemisch ist nicht als gefährlich eingestuft im Sinne der Richtlinie 1999/45/EG.

#### 2.3. Other hazards

No information available.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Further Information**

Full text of H- and EUH-statements: see section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps. First aider: Pay attention to self-protection!

Symptoms can occur only after several hours.

# ata Karnasch°

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

Product code: 30

Page 2 of 8

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

## After contact with skin

Remove contaminated, saturated clothing immediately.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Water fog. Extinguishing powder. Carbon dioxide. Foam.

## Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear personal protection equipment. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### For non-emergency personnel

Special danger of slipping by leaking/spilling product.

#### For emergency responders

Self-protection of the first aider Remove affected person from the danger area and lay down. Do not leave affected person unattended. Remove all sources of ignition. Use appropriate respiratory protection.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Treat the recovered material as prescribed in the section on waste disposal. Collect in closed containers for disposal.

## 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation. Clean with detergents. Avoid solvent cleaners.

# ata Karnasch°

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

Product code: 30

Page 3 of 8

## 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid oil mist Use only in well-ventilated areas. When using do not eat, drink or smoke.

## Further information on handling

High slip hazard because of leaking or spilled product.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 5-40 °C

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Maximum period of storage (time): 3

#### Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

## 7.3. Specific end use(s)

Observe technical data sheet. Reserved for industrial and professional use.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	
		-	20		STEL (15 min)	

## 8.2. Exposure controls









#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Eye/face protection EN 166

#### EN 100

## Hand protection

Protect skin by using skin protective cream.

Wash hands before breaks and after work.

#### Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.



according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

Product code: 30

Page 4 of 8

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

## **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	amber coloured		
Odour:	characteristic		
			Test method
pH-Value:		not applicable	
Changes in the physical state			
Boiling point or initial boiling point and boiling range:		not determined	
Flash point:		>180 °C	DIN EN 57
Explosive properties No information available.			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
<b>Oxidizing properties</b> No information available.			
Vapour pressure:		not determined	
Vapour pressure:		not determined	
Density (at 20 °C):		0,90 g/cm³	EN ISO 12185
Viscosity / dynamic:		not determined	
Viscosity / kinematic: (at 40 °C)		30 mm²/s	ASTM D 7042
9.2. Other information			

No information available.

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No known hazardous reactions.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

Protect against: heat.

## 10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong. acid.

according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

0t0 Karnasch°

Product code: 30

Page 5 of 8

#### 10.6. Hazardous decomposition products

Hazardous decomposition products: none

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Data apply to the main component.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Additional information on tests

No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

#### 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **SECTION 12: Ecological information**

## 12.1. Toxicity

The statement is derived form the properties of the components.

## 12.2. Persistence and degradability

Product is not easily biodegradable.

#### 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

in delivery condition: liquid

#### 12.5. Results of PBT and vPvB assessment



according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

Product code: 30

Page 6 of 8

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of contents/container to an appropriate recycling or disposal facility. Collect in closed containers for disposal. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

## List of Wastes Code - used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	No dangerous good in sense of these transport regulations.
Other applicable information (land transpondent Not restricted	ort)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	No dangerous good in sense of these transport regulations.
Other applicable information (inland wate Not restricted	rways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es):	No dangerous good in sense of these transport regulations.
14.4. Packing group:	-

# ata Karnasch®

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

	IMKS-MQL STEEL+ALU Art. 60 1154,60 1153	
Revision date: 01.01.2024	Product code: 30	Page 7 of 8
Other applicable information (marine tra Not restricted	ansport)	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.	
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of these transport regulations.	
<u>14.4. Packing group:</u>	-	
Other applicable information (air transp Not restricted	ort)	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Personal protection equipment: see se		
14.7. Maritime transport in bulk according to not applicable	to INO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII)		
Entry 75		
Directive 2004/42/EC on VOC in paints and varnishes:	0,3 % (2,7 g/l)	
Additional information		
According to EC directives or the corr	esponding national regulations the product does not have to be labelled.	
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
For this substance a chemical safety a	assessment has not been carried out.	
SECTION 16: Other information		
Changes		
Changes This data sheet contains changes from	n the previous version in section(s): $124671112131516$	
This data sheet contains changes from	n the previous version in section(s): 1,2,4,6,7,11,12,13,15,16. CSC (China), REACH (Europäische Union), ENCS (Japan).	
This data sheet contains changes from AICS (Australien), DSL (Kanada), IEC	n the previous version in section(s): 1,2,4,6,7,11,12,13,15,16. CSC (China), REACH (Europäische Union), ENCS (Japan), Neuseeland), PICCS (Philippinen), TSCA (USA)	
This data sheet contains changes fror AICS (Australien), DSL (Kanada), IEC	CSC (China), REACH (Europäische Union), ENCS (Japan),	
This data sheet contains changes fror AICS (Australien), DSL (Kanada), IEC ISHL (Japan), KECI (Korea), NZIoC (I	CSC (China), REACH (Europäische Union), ENCS (Japan), Neuseeland), PICCS (Philippinen), TSCA (USA)	
This data sheet contains changes fror AICS (Australien), DSL (Kanada), IEC ISHL (Japan), KECI (Korea), NZIoC (I <b>Abbreviations and acronyms</b> CLP: Classification, labelling and Pac REACH: Registration, Evaluation and	CSC (China), REACH (Europäische Union), ENCS (Japan), Neuseeland), PICCS (Philippinen), TSCA (USA) kaging	

UN: United Nations

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

according to Regulation (EC) No 1907/2006

## MECUT-MMKS-MQL STEEL+ALU Art. 60 1154,60 1153

Revision date: 01.01.2024

<mark>ata</mark> Karnasci

Product code: 30

Page 8 of 8

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)