

according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Schneidpaste Art.-Nr.: 60 1157, 60 1159

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal cutting paste

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Karnasch Professional

Tools GmbH

Street: Siemensstr. 1

Place: D-68542 Heddesheim

Telephone: +49 (0) 62 03 / 40 39 - 0 Telefax: +49 (0) 6203 4159 - 0

e-mail: info@karnasch.tools

Contact person: Volker Mayer, Sascha Riedel

Internet: www.karnasch.tools

Responsible Department: Volker Mayer, Sascha Riedel:

Tel: 06203 / 4039 - 0 Tel: 033675 / 7265 - 0

1.4. Emergency telephone Emergency telephone number (24h) + 44 1235 239670 (en)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 2 of 9

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
73138-44-0	Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)				
	914-460-3		01-2119480144-43		
9003-13-8	Polypropylenglykolmonobutylether			10 - < 15 %	
			01-2119492302-43		
64742-54-7	Baseoil - unspecified, Distillates (pe	etroleum), hydrotreated heavy paraffi	nic	5 - < 10 %	
	265-157-1		01-2119484627-25		
	Asp. Tox. 1; H304				

Full text of H and EUH statements: see section 16.

Further Information

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Seek medical attention if problems persist. No administration in cases of unconsiousness or cramps.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. In case of swallowing, keep the patient at rest and contact a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water fog. Extinguishing powder. Carbon dioxide.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated:



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 3 of 9

Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Large quantities remove mechanically

Clean contaminated articles and floor according to the environmental legislation.

Clean with detergents. Avoid solvent cleaners.

6.4. Reference to other sections

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist

Use only in well-ventilated areas.

Dicrect contact with skins avoid.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion

Prevent access by unauthorised personnel.

Further information on handling

High slip hazard because of leaking or spilled product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 5-40 °C

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Do not store with strong oxidizing agents.

Maximum period of storage (time): 3 Years

Further information on storage conditions

Protect from sunlight. Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 4 of 9

8.2. Exposure controls









Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. Use personal protection equipment as per Directive 89/686/EEC.

Eye/face protection

Wear eye protection/face protection. Use glasses or face shield if there is a risk of splashing.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protect skin by using skin protective cream. Wear protective gloves if advisable under safety aspects.

Wash hands before breaks and after work.

Gloves of appropriate material (i.e. nitrilic rubber, specification: penetration time: level 6, >480 min., thickness 0,9-1 mm; CE-certified acc. EN 374 cat III)

Skin protection

Chemical resistant safety shoes. Take off immediately all contaminated clothing.

Thorough skin-cleansing after handling the product. Set out skin protection guidelines.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: brown
Odour: characteristic
Odour threshold: not applicable

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined

Flash point: 250 °C DIN ISO 2592

Flammability

Solid: not determined
Gas: not applicable

Lower explosion limits: not determined



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 5 of 9

Upper explosion limits: not determined

Ignition temperature: 320 °C ASTM E 659

Auto-ignition temperature

Solid: not determined Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1 g/cm³ DIN EN ISO 12185

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: not determined

(at 40 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

No information available.

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Protect against: heat.

10.5. Incompatible materials

The following must be prevented: Oxidizing agents, strong, acid.

10.6. Hazardous decomposition products

Hazardous decomposition products: none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Data apply to the main component.



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 6 of 9

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
73138-44-0	Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)					
	oral	LD50 > mg/kg	> 5000	Ratte		OECD 401
	dermal	LD50 > mg/kg	> 5000	Ratte		OECD 402
9003-13-8	Polypropylenglykolmonobutylether					
	oral	LD50 1 mg/kg	15000	Ratte		

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. No risks worthy of mention. Practical experience.

The statement is derived from the properties of the single components.

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]	[d]	Species	Source	Method
73138-44-0	Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)						
	Acute fish toxicity	LC50 >10 mg/l	000	96 h	Zebrabärbling	OECD 203	
	Acute crustacea toxicity	EC50 > 10 mg/l	0000	48 h	Daphnia magna		OECD 202
	Acute bacteria toxicity	(> 10000 mg/l)			Belebtschlamm		OECD 209
9003-13-8	Polypropylenglykolmonobutylether						
	Acute fish toxicity	LC50 220 5000 mg/l	0 -	96 h	Zebrabärbling		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
73138-44-0	Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)			
	OECD 301 D 22% 28			
	Potentiell teilweise biologisch abbaubar			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
73138-44-0	Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)	2

12.4. Mobility in soil

in delivery condition: viscous



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 7 of 9

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

Do not allow uncontrolled discharge of product into the environment.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - used product

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

l and	tranenart	(ADR/RID)
Lanu	Hallsbull	IADIMIDI

<u>14.1. UN number:</u>	ino dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 8 of 9

14.6. Special precautions for user

Personal protection equipment: see section 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

Additional information

Commodity code: 3403 1990

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Ester der Montansäuren (einem Wachssäuregemisch ca. C24-C34)

Polypropylenglykolmonobutylether

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,3,5,7,8,9,10,12,14,15,16.

AICS (Australien), DSL (Kanada), IECSC (China), REACH (Europäische Union), ENCS (Japan),

ISHL (Japan), KECI (Korea), NZIoC (Neuseeland), PICCS (Philippinen), TSCA (USA)

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation



according to Regulation (EC) No 1907/2006

Schneidpaste Art.-Nr.: 60 1157, 60 1159

Revision date: 01.01.2021 Product code: 33 Page 9 of 9

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

Repr. - Reproduktionstoxizität Asp. Tox. - Aspirationstoxizität Acute Tox. - Akute Toxizität

Aquatic Acute - Akute aquatische Toxizität

Aquatic Chronic - Chronische aquatische Toxizität

Eye Dam. - Augenschaden/-reizung

Eye Irrit. - Augenreizung

Skin Corr. - Ätzwirkung auf die Haut

Skin Irrit. - Hautreizung Skin Sens. - Hautallergen

Resp. Sens. - Inhalationsallergen

STOT SE - Spezifische Zielorgan-Toxizität - einmalige Exposition STOT RE - Spezifische Zielorgan-Toxizität - wiederholte Exposition

VOC - Flüchtige organische Verbindungen

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)